

EXHIBIT C

POWER FLUX DENSITY AND EIRP DENSITY – COMPARISON OF ONSAT 3.7 METER AND 4.5 METER ANTENNAS

Item	4.5 meter	3.7 meter
Maximum Gain (60% efficiency) @ 6 GHz- dB	46.8	45.1
Allowed power density into 4.5 meter (25.212 d)- dBW/4kHz	-2.7	
Allowed EIRP density out of 4.5 meter (note 1)- dBW/4kHz	44.1	
Maximum EIRP (Onsat 3.7 meter)- dBW		44.0
Maximum EIRP density out of 3.7 meter (note 2) - dBW/4kHz		27.5
Maximum power density into 3.7 meter (note 1) – dBW/4kHz		-17.6
Gain of 4.5 meter @ +/- 1 degree from max. (note 3) – dB	29	
Gain of 3.7 meter @ +/- 1 degree from max. (from pattern) – dl	3	31
Allowed EIRP density 4.5 meter @ +/- 1 degree – dBW/4kHz	26.3	
EIRP density 3.7 meter @ +/- 1 degree – dBW/4kHz		13.4

Notes:

- 1. EIRP density = Power Density into antenna + Antenna Gain
- 2. EIRP density = EIRP + $10 \log 4/180 = 44.0 16.5 = 27.5$
- 3. From 25.209: $29 25 \log 1 = 29 0 = 29 \text{ dB}$

The EIRP density per 4 kHz from the Onsat 3.7 meter antenna is 12.9 dB (19 times) less than that which is allowed from a compliant 4.5 meter antenna at 1 degree from maximum gain.

		EXHIBIT D
FCC 312 Main Form	Approved by OMB 3060-0678 Est. Avg Burden Hours	FCC Use Only File Number:
FEDERAL COMMUNICATIONS COMMISSION	Per Response: 11 Hrs.	Call Sign:
APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHO	ORIZATIONS	Fee Number:

APP	LICA	NT INF	ORMAT	ION

1. Legal Name of Applicant	2. Voice Telephone N	Number		
ONSAT NETWORK COMMUNICATIONS, INC.	(435) 655-3	3679		
3. Other Name Used for Doing Business (if any)		4. Fax Telephone Number (435) 655-7676		
		7070		
5. Mailing Street Address or P.O. Box P.O. Box 8000	6. City Park City			
136 Heber Ave., Suite 204 ATTENTION: David Molinero	7. State / Country (if not U.S.A.) Utah	8. Zip Code 84098		
		1		
9. Name of Contact Representative (If other than applicant) Ellen P. Goodman	10. Voice Telephone (202) 662-			
9. Name of Contact Representative (If other than applicant) Ellen P. Goodman 11. Firm or Company Name Covington & Burling		-6000 umber		
Ellen P. Goodman 11. Firm or Company Name	(202) 662- 12. Fax Telephone N	-6000 umber		

CLASSIFICATION OF FILING

17. Place an "X" in the box nex	t to the classification that applies to this filing for both questions a. and	b. Mark only one box for 17a and only one box for 17b.
	b1. Application for License of New Station	b6. Transfer of Control of License or Registration
al. Earth Station	b2. Application for Registration of New Domestic Receive-Only Station	b7. Notification of Minor Modification
	b3. Amendment to a Pending Application	b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite
a2. Space Station	b4. Modification of License or Registration	b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States
	b5 . Assignment of License or Registration	X b10. Other (Please Specify): Blanket C-Band Application
18. If this filing is in reference	to an existing station, enter:	19. If this filing is an amendment to a pending application enter:
Call sign of station:		(a) Date pending application was filed: (b) File number of pending application:
E870502		

TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service	
a. Fixed Satellite c. Radiodetermination Satellite e. Direct to Home Fixed	
b. Mobile Satellite d. Earth Exploration Satellite f. Digital Audio Radio Se	ervice g. Other (please specify)
21. STATUS: Place an "X" in the box next to the applicable status. Mark only one box.	22. If earth station applicant, place an "X" in the box(es) next to all that apply.
a. Common Carrier b. Non-Common Carrier	a. Using U.S. licensed satellites b. Using Non-U.S. licensed satellites
23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec.	. 214 filings. Mark only one box. Are these facilities:
a. Connected to the Public Switched Network b. Not conn	nected to the Public Switched Network
24. FREQUENCY BAND(S): Place an "X" in the box(es) next to all applicable frequency band(s).	
X a. C-Band (4/6 GHz)	
b. Ku-Band (12/14 GHz) c. Other (Please specify)	
TYPE OF	STATION
25. CLASS OF STATION: Place an "X" in the box next to the class of station that applies. Mark only one box	C.
a. Fixed Earth Station b. Temporary-Fixed Earth Station c. 12/14 GHz VSAT Networl	d. Mobile Earth Station e. Space Station Specify 4/6 GH, VSAT
If space station applicant, go to Question 27.	4/6 GH ₂ VSAT
26. TYPE OF EARTH STATION FACILITY Mark only one box.	
X a. Transmit/Receive b. Transmit-Only c. Receive-Only	
PURPOSE OF MODIFICA	ATION OR AMENDMENT
27. The purpose of this proposed modification or amendment is to: Place an "X" in the box(es) next to all that	apply.
a authorization to add new emission design:	
b authorization to change emission designal	
c authorization to increase EIRP and EIRP d authorization to replace antenna	uensity
e authorization to replace amenha	
f authorization to relocate fixed station	
g authorization to change assigned frequence	
h authorization to add Points of Communic	
i authorization to change Points of Commu	ntcation (satellites & countries) Commental assessment and radiation hazard reporting is required
k Other (Please Specify)	omittees and continue and radiation makero reporting is required
ENVIRONME	NTAL POLICY
28. Would a Commission grant of any proposal in this application or amendment have a significant environme If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R.	ntal impact as defined by 47 CFR 1.1307?
If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. A Radiation Hazard Study must accompany all applications as an exhibit for new transmitting facilities, major	gg 1.1306 and 1.1311, as an extituit to this approximation.
(A Diministration Courts and the Court of th	
	FCC 312 Main Form - Page 2

ALIEN OWNERSHIP

29. Is the applicant a foreign government or the representative of any foreign government?	YES	NO NO
30. Is the applicant an alien or the representative of an alien?	YES	X NO
31. Is the applicant a corporation organized under the laws of any foreign government?	☐ YES	X NO
32. Is the applicant a corporation of which more than one-fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	☐ YES	X NO
33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	☐ YES	X NO
34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit, the identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.		
BASIC QUALIFICATIONS		
35. Does the applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	X YES	□NO
36. Has the applicant or any party to this application had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explanation of the circumstances.	YES	X NO
37. Has the applicant, or any party to this application, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explanation of the circumstances.	☐ YES	X NO
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of the circumstances.	YES	X NO
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceeding two items? If Yes, attach as an exhibit, an explanation of the circumstances.	☐ YES	X NO
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, addresses, and citizenship stockholders owning of record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the	of fiduciary	
41. By checking Yes, the undersigned certifies, that neither the applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for the	X YES ese purposes.	□NO
42a. Does the applicant intend to use a non-U.S. licensed satellite to provide service in the United States? If yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. § 25.137, as appropriate. If no, proceed to question 43.	☐ YES	X NO
42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station?		

43. Description. (St	immarize the nature of the application and the services to be provide	led).
areas do no will benefi	t currently have affordable Internet access.	net access to rural schools, ISPs, and others. These As a result, an under-served segment of the public ature of the application is further described in Waiver.
Exhibit No.	Identify all exhibits that are attached to this application. Radiation Hazard Study	
$\frac{1.}{2.}$	Loral Certificate	
	<u> </u>	
	CERTI	FICATION
the previous use application would and are incorpora	of the same, whether by license or otherwise, and requests an author d not cause the applicant to be in violation of the spectrum aggrega	tromagnetic spectrum as against the regulatory power of the United States because of crization in accordance with this application. The applicant certifies that grant of this tion limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof individually and for the applicant, hereby certifies that all statements made in this ais or her knowledge and belief, and are made in good faith.
44. Applicant is a (a	an): (Place an "X" in the box next to applicable response.)	
a. Individual	b. Unincorporated Association c. Partnership and d. Co	rporation e. Governmental Entity f. Other (Please specify)
45. Typed Name of Pers	on Signing	46. Title of Person Signing
David Stephe	ens	President and CEO
47. Signature		48. Date
WILLFUI	L FALSE STATEMENTS MADE ON THIS FORM A	ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, 17, Section 503).

FCC 312 Schedule B		SATELLITI	L COMMUNIC E EARTH STA nical and Oper	TION AUTH rational Desc	ORIZATIONS cription)	6		Pag	e 1: Location
License of New Station	Registration of New Do Receive-Only	mestic Amer	(Place an "X" in one adment to a Pending			icense/Regist	ration N	Notification of M	inor Modification
B1. Location of Earth Sta	For VSAT net	works attach indiv	/SAT remote facil vidual Schedule B tions, and Destina	, Page I sheets f	or each hub stati	ion and each	ntact. If VS. remote stati	AT hub station on. Individual	, give its location ly provide the
B1a. Station Call Sign E87052	BIb. Site Identifier (HUB, R HUB (shared	EMOTEI, etc.)		(801) 57	Number	B1j. Geo	graphic Coordin Deg Min. 40 46	nates N/S, - Sec E/W	Blk. Lat./Lon. Coordinates are:
B1d. Street Address of Station or A 5 Triad Center 55	rea of Operation N 300 West		Ble. Name of Contact Duane Ast			Lat Lon1		03 W	NAD-27
BIf City Salt Lake City		Big. County		Bih. State	84110			vation (AMSL)	meters
B2. Points of Communica	tions: List the names an	d orbit locations of and locations of	of all satellites with all satellite faciliti	h which this eart	h station will co	mmunicate. -U.S. license	The entry "A	ALSAT" is suf	ficient to adividually.
Satellite Name and Orbi			Name and Orbi					rbit Location	
Telestar 5 @ 97° k									
B3. Destination points for	communications using	destination poi	d satellites. For e	here the service	s will be provide	acility identi ed by this ca	fied in section vi	on B2 above, spia each non-U.S	necify the 3. licensed
Satellite Name	List of Destir	ation Points							
NA									
						·····			
				1					
									
							·····		

						4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -			

FEDERAL COMMUNICATIONS COMMISSION SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

B4. Earth Station Antenna Facilities: Use additional pages as needed.

(a) Site ID*	(b) Antenna ID**	(c) Quantity	(d) Manufacturer	(e) Model	(f) Antenna Size (meters)	(g) Antenna Gain Transmit and/or Receive (dBi at GHz)
HUB	HUB A	1	Vertex Dual Offset	VISAT	3.8	43.3 dBi @ 4GHz
Remote 1	Remote Al	various	Prodelin	1374-370	3.7	41.8 dBi @ 4GHz 45 dBi @ 6GHz
Temp Fixed	Remote A2	various	Prodelin	1374-370	3.7	41.8 dBi @ 4GHz 45 dBi @ 6GHz
		•				

B5. Antenna Heights and Maximum Power Limits: (The corresponding Antenna ID in tables B4 and B5 applies to the same antenna)

(2)	Maximum Antenna Height			(e) Building	(f) Maximum	(g) Total Input	(h) Total EIRP	
(a) Antenna ID** (b) Antenna Structure Registration No.		(c) Above (d) Above Ground Level Mean Sea Level (meters) (meters)		Height Above Ground Level (meters)***	Antenna Height Above Rooftop (meters)***	Power at antenna flange (Watts)	for all carriers (dBW)	
HUB A	NA	15	1,332	11	4	7.8	55.2	
Remote Al	NA NA	NA	NA	NA	NA	0.6	44	
Remote A2	NA NA	NA	NA	NA	NA	0.6	44	
		 						
· · · · · · · · · · · · · · · · · · ·								

Notes: * If this is an application for a VSAT network, identify the site (Item B1b, Schedule B, Page 1) where each antenna is located. Also include this Site-ID on Schedule B, Page 5.

^{**} Identify each antenna in VSAT network or multi-antenna station with a unique identifier, such as HUB, REMOTE1, A1, A2, 10M, 12M, 7M, etc. Use this same antenna ID throughout tables B4, B5, B6, and B7 when referring to the same antenna.

^{***} Attach sketch of site or exemption, See 47 CFR Part 17.

FEDERAL COMMUNICATIONS COMMISSION SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

B6. Frequency Coordination Limits: Use additional pages as needed.

(a) Antenna ID*	(b) Frequency Limits (MHz)	(c) Range of Satellite Arc Eastern Limit**	(d) Range of Satellite Arc Western Limit**	(e) Antenna Elevation Angle Eastern Limit	(t) Antenna Elevation Angle Western Limit	(g) Earth Station Azimuth Angle Eastern Limit	(h) Earth Station Azimuth Angle Western Limit	(i) Maximum EIRP Density toward the Horizon (dBW/4kH
HUB A	TX: 5,925-6,425	62°	143°	7.3°	30.2°	104.2°	228.2°	-15.5
HUB A	RX: 3,700-4,200	62°	143°	7.3°	30.2°	104.2°	228.2°	NA
Remote Al	TX: 5,925-6,425							-8.9
Remote A1	RX: 3,700-4,200 TX: 5,925-6,425							NA
Remote A2	TX: 5,925-6,425							-8.9
Remote A2	RX: 3,700-4,200							NA
						<u> </u>		
<u> </u>								
							 	
							 	

Notes: * Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and orbital arc range is associated.

^{**} If operating with geostationary satellites, give the orbital arc limits and the associated elevation and azimuth angles. If operating with non-geostationary satellites, give the notation "NON-GEO" for the satellite arc and give the minimum operational elevation angle and the maximum azimuth angle range.

Page 4: Particulars

FEDERAL COMMUNICATIONS COMMISSION SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

B7. Particulars of Operation (Full particulars are required for each r.f. carrier): Use additional pages as needed.

B7. Particular:	s of Operation (Full particulars a	re requ	ired for eac	ch r.f. carrier): U	se additional		
(a) Antenna ID*	(b) Frequency Bands (MHz)	(c) T/R Mode	(d) Antenna Polarization (H,V,L,R)	(e) Emission Designator	(t) Maximum EIRP per Carrier (dBW)	(g) Maximum EIRP Density per Carrier (dBW/4kHz)	(h) Description of Modulation and Services
HUB A	5,925-6,425	T	Н	6MOG7D	55	13.2	OPSK, 3/4 RATE FEC - DATA
HUB A	3,700-4,200	R	V	180K7D			QPSK. 1 RATE FEC - DATA
HUB A	5,925-6,425	T	H	180K7D	44	27.5	QPSK, 1 RATE FEC - DATA
Remote A1	5,925-6,425	T	H	180K7D	44	27.5	QPSK, 1 RATE FEC - DATA
Remote Al	3,700-4,200	R	٧	6MOG7D	T		QPSK 3/4 RATE FEC - DATA
Remote A1	3,700-4,200	R	<u> </u>	180KG7D			QPSK, 1 RATE FEC - DATA
Remote A2	5,925-6,425	T	H	180KG7D	44	27.5	QPSK, ½ RATE FEC - DATA
Remote A2	3,700-4,200	R	٧	6MOG7D			QPSK, 3/4 RATE FEC - DATA
Remote A2	3,700-4,200	R	У	180KG7D			QPSK, } RATE FEC - DATA
			1	<u> </u>	<u> </u>	***************************************	
		1	 				
 !			<u> </u>		† 	1	
			ļ				
		1			1	†	
					T		
						 	
			<u> </u>	<u> </u>	<u> </u>	†	
			<u> </u>		† 	1	
			1				
		1	1			1	
		1	 		1	1	
	 	_	 	 	1	 	
<u> </u>	<u> </u>					ل	

Notes: * Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and emission is associated. For VSAT networks, include frequencies and emissions for all HUB and REMOTE units.

^{**} Indicate whether the earth station transmits or receives in each frequency band.

Page 5: Questions

FEDERAL COMMUNICATIONS COMMISSION SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

If VSAT Network, provide the SITE-ID (Item B1b) of the station that B8-B13 are in response to (HUB, REMOTE1, etc.):

25.209(a) and (b) as demor	nstrated by the manufactur	er's qualification	YES	X NO		
B9. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?						
B10. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point. Remote Control Point Location:						
]	
B10c. County		B10d. State / Country UTAH	B10e 84	. Zip Code 1110		
	B10g. Call Sign of Control Stati E850502	on (it appropriate)]	
B11. Is frequency coordination required? If YES, attach a frequency coordination report as an exhibit.						
B12. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as an exhibit.						
l a copy of a completed F of the structure to aviat	ion?	RN OF THIS APP				
	25.209(a) and (b) as demo alysis showing compliance lite Service (FSS), or if the dantenna(s) comply with turer's qualification measure the location and telephone and telephone lency coordination report tach the name of the country art 25.113(c)) In a copy of a completed For the structure to aviate the structure the structure to aviate the structure t	25.209(a) and (b) as demonstrated by the manufacturallysis showing compliance with two-degree spacing lite Service (FSS), or if they operate in the Fixed Sate and antenna(s) comply with the antenna gain patterns sturer's qualification measurements? The the location and telephone number of the control positive in the properties of the control positive in the properties of the control static in the properties of the country in	ad antenna(s) comply with the antenna gain patterns specified in turer's qualification measurements? the location and telephone number of the control point. B10c. County B10d. State / Country UTAH B10g. Call Sign of Control Station (if appropriate) E850502 Hency coordination report as an exhibit. Stach the name of the country(ies) art 25.113(c)) In a copy of a completed FCC Form 854 If of the structure to aviation?	25.209(a) and (b) as demonstrated by the manufacturer's qualification alysis showing compliance with two-degree spacing policy. Site Service (FSS), or if they operate in the Fixed Satellite Service and antenna(s) comply with the antenna gain patterns specified in turer's qualification measurements? The the location and telephone number of the control point. B10c. County B10d. State / Country UTAH B10g. Call Sign of Control Station (if appropriate) E850502 The the name of the country(ies) The country is a copy of a completed FCC Form 854 of the structure to aviation?	25.209(a) and (b) as demonstrated by the manufacturer's qualification alysis showing compliance with two-degree spacing policy. lite Service (FSS), or if they operate in the Fixed Satellite Service dantenna(s) comply with the antenna gain patterns specified in turer's qualification measurements? e the location and telephone number of the control point. PES	

EXHIBIT I - Page I of 4 RADIATION HAZARD STUDY

EXHIBIT I - Page 2 of 4 RADIATION HAZARD STUDY

REGION	RADIATION LEVEL mw/cm ²	HAZARD ASSESSMENT Complies with guidelines			
Far Field, RF=164 m	0.037				
Near Field, RN=88.4	0.112	"	4	u	
Transition Region, RT Rn <rt<rf< td=""><td><0.112</td><td>"</td><td>64</td><td>41</td></rt<rf<>	<0.112	"	64	41	
Reflector Surface	0.047	4	46	"	
Between Antenna and Ground	0.0005	ш	u		
Between Main Reflector and Feed	110	Potent	tial Hazard		

CONCLUSION:

Based on the above analysis it is concluded that harmful levels of radiation will not exist in regions normally occupied by the public or the earth station's operating personnel. The earth station will be marked with the standard radiation hazard warnings, on the antenna itself, warning personnel to avoid the area in front of the reflector when the transmitter is operational. To ensure compliance with the safety limits, the earth station transmitter will be turned off whenever maintenance and repair personnel are required to work in an area where the radiation level exceeds the level recommended by applicable guidelines. Additionally, the earth station is secured and access is controlled.

٠. .

EXHIBIT I - Page 3 of 4

SUPPORTING CALCULATIONS REF: FCC BULLETIN #65

A. Far Field:

$$R_{\rm in} \frac{0.6D^2}{\lambda} = \frac{0.6x(3.7)^2}{0.05} = 164 \text{ motors}$$

$$S = \frac{PG}{4\pi R^2} = \frac{5x2.51x10^4}{4\pi (164)^2} = .372W/m^2$$

S=_237mW/cm2

B. Near Field

$$R_n = \frac{D^2}{4\lambda} = \frac{(3.7)^2}{(4)x(0.05)} = 68.4 \text{ meters}$$

$$S = \frac{16 \, nP}{\pi D^{\frac{1}{2}}} = \frac{(16)(.6)(5)}{\pi (3.7)^{\frac{1}{2}}} = 1.12 \, \mathbb{F} / m^{\frac{1}{2}}$$

S=0.112mW/cm²

C. Transition Region:

Since the transition extends between R_n and R_ℓ the power density can never exceed the power density in the near field.

$$S = \frac{S(nf) \times R(nf)}{R}$$

D. Reflector Surface:

Assuming an even distribution of energy over the surface of the dish:

$$S = \frac{P}{\pi r^2} = \frac{5x10^3}{\pi (1.85x10^2)^2} = 0.047 mW/cm^2$$

EXHIBIT I - Page 4 of 4

E. Between Antenna and Ground:

Nearest point is more than 1 diameter removed from the center of the main beam.

$$S = \frac{S(\text{reflector surface})}{100} = 0.0005 mW / cm^2$$

F. Between Main Reflector and Feed:

The diameter of the feed aperture is 7.62 cm. The highest density will be at the aperture.

$$S = \frac{P}{\pi r^2} = \frac{5x10^3}{\pi (3.81)^2} = 110 \, mW / cm^2$$

16:53 LORPLSKYNET + 916186849823

P.02 ND.564 5783

Engineering Certification of Loral Skynet®1

September 1, 1999

89/81/99

Federal Communications Commission – International Bureau 445 12th Street, S.W. Washington, DC 20554

To Whom It May Concern:

The undersigned of Loral Skynet certifies that, to the best of his knowledge, no U.S. domestic satellite is in orbit at less than two degrees from the Telstar, 5 satellite, which is authorized to operate and is currently operating at 97 degrees WL in the geostationary earth orbit.

The undersigned further certifies that Loral Skynet is aware that Onsat Network Communications, Inc. is planning to communicate with the Telstar 5 satellite by means of earth stations using a 3.7 meter diameter C-band antenna (Prodelin model # 1374-370), and that the antenna will be operating at a maximum EIRP density of 27.5 dBW/4 kHz, which is equal to a maximum power density at the antenna input port of -17.6 dBW/4 kHz.

Sincerely,

Robert C. Draper - Principal Engineer

Robert C. Draper

Satellite Services Engineering

Loral Skynet

Skynet is a registered trademark of Loral SpaceCom Corporation.

COVINGTON & BURLING

1201 PENNSYLVANIA AVENUE, N. W.

P.O. BOX 7566

WASHINGTON, D.C. 20044-7566

(202) 662-6000

FACSIMILE: (202) 662-6291

DIRECT FACSIMILE NUMBER

KIMBERLY K. EGAN

DIRECT DIAL NUMBER

(202) 662-5108

kegan@cov.com

October 20, 1999

CURZON STREET
LONDON WIY BAS
ENGLAND
TELEPHONE: 44-77-495-9595
FACSIMILE: 44-77-495-3101

LECONFIELD HOUSE

KUNSTLAAN 44 AVENUE DES ARTS BRUSSELS 1040 BELGIUM TELEPHONE. 32-2-549-5230 FACSIMILE. 32-2-502-1598

Ms. Magalie Roman Salas Secretary Federal Communications Commission 1919 M Street, N.W. Washington, D.C. 20554

Re: Ex Parte Notice

In the Matter of Onsat Network

Communications, Inc.

Petition for Declaratory Order re Rule 25.115(c) And Petition for Waiver of Rule 25.212(d)

Dear Ms. Roman Salas:

Onsat Communications Network, Inc. ("Onsat") hereby notifies the Commission is that counsel and representatives met on October 19, 1999 with Ari Fitzgerald, Legal Adviser to Chairman Kennard, and Peter Tenhula, Legal Adviser to Commissioner Powell. Present at both meetings were David Stephens, President of Onsat; Lou Libin, VP for Business Development; and Ellen P. Goodman and Kimberly K. Egan, counsel to Onsat's technical consultant.

The meetings were held to discuss Onsat's Petition for Declaratory Order and Waiver, filed on September 10, 1999. Onsat reported that it had already met with the International Bureau regarding the technical aspects of the Petition, and discussed in general terms the nature of Onsat's service and the policy implications of granting the Petition. Onsat also discussed its plans to provide high speed, broadband access and distance learning to rural and under-served urban populations, such as those that are discussed in the attached articles.

Please direct any questions to the undersigned.

Sincerely,

Kimberly K. Egan-

Counsel to Onsat's Technical Consultant

Attachments

Is your team going for the Quality Cup?

USA TODAY and the Rochescepting nominations for a national

quality award, the Quality Cup. to honor teams that are nelping improve the quality of goods and services.

Close 10,649.76 **1**

106.61 1

110.16

102.34 2886.57 **1**

\$320.20

376.76 2.78 1.50

25.87 18.38

-1.19

+1.1% -0.5% +.04%

Today (Sakya)

For more information, call 800-USAT-RIT (800-872-8748), or visit the

Quality Cup site at www.quality cup.org. Nominations must be postmarked

by Dec. 6.

Asia markets (as of 1 a.m. ET today)

839.77.

Friday (RLY.)

GLOBAL DEAL: Fiber optic cable company Global Crossing is ready to buy Britain's Racal Telecom for \$1.6 billion. the Financial Times reported today. It would put Global's European network at about 10.560 miles.

Sunday that they voted to accept a contract with Daim-ierChrysler.... The United Auto Workers and Ford Motor

STATE FARM RULING: A damage award to State Farm auto insurance customers swelled to \$1.2 billion Friday after a judge ruled that the USA's largest auto insurer committed fraud by forcing auto body snops to use less expensive replacement parts to repair cars. The \$730 mil-

lion award of actual and punitive damages came on top of

CABLE: The Federal Communications Commission eased rules Friday on the number of cable customers a sugle company can serve, hoping to hasten the roll-out of high-speed internet connections and new (elephone services.)

The rules had prohibited companies from access to more than 30% of the 95 million U.S. homes canable of being

hooked to cable. The decision curs some obstacles AT&T faces in its proposed \$58 billion purchase of MediaOne. BRIEFLY: Federal government offices, many state and local government offices, school districts, banks and bond

markets will be closed today to mark Columbus Day. Stock exchanges will be open. . . . Continental Airlines and Delta Airlines raised excursion fares requiring advance purchase by up to 520 per round trip. Increases don't apply to top-dollar business fares. The USA's unemployment raise was unchanged at 42% in Sentember the lower in earth?

September, the lowest in nearly 30 years, the Labor Depart

Written by Sara Nathan from staff and wire re

an earlier \$456 million jury verdict in the same lawsuit.

reached a tentative contract Saturday. (Story, 6B.)

MARKETS

Dow Jones industrial average Dow for the week USA TODAY internet 100

e-Business 50

e-Consumer 50

Nasdaq composite S&P 500

Gold, oz. Come:

Tokyo Hong Kong

Singapore

Yen per dollar Euro (in dollars)

Jakarta

T-bond. 30-year yield

T-bill, 3-mo., discount rate

MONDAY, OCTOBER 11, 1999

Çİ,

BUSINESS TRAVEL

Strike threat: Air France is rebooking passengers on flights scheduled for today between Parts and: Atlanta, Boston Logan, Chicago O'Hare, Houston gan, Chicago o' nare, Houston Bush, Los Angeles, Miami, New-ark, N.J. and Washington Dulles because of a strike threat in France. Call 800-237-2747 or check www.airfrance.com.

Call back: Auto Europe's "Click to Call" Web-site feature iets users get a return call from

Airlines with the fewest reports of mishandled baggage in August Reports per 1.000 pass

4.11 Northwe 4.12 Southwest 4.18 Continental 4.25 4.67

Click www.autoeurope.com.

Fourth: China Southern adds


Monday flights Dec. 6 betweer Los Angeles International and Guangzhou, China, for four weekly Boeing 777 nonstop flights on the route.

Allies: SAS and Icelandair will share more flights between Scandinavia and the USA and other European cities, starting

Earning power: Delta Sky-Miles members can earn base miles and segments that count toward Medallion status by making qualifying flights on Delta's ally, Air France



SPECIAL REPORT MONEYLINE



AMERICA'S DIGITAL DIVIDE

No choice: Joseph Sema owns a print shop in an area of Denver that doesn't have access to affordable high-speed linternet service, Neglected communities tand to be the ones struggling hardest, including those with high concentrations of minorities.

On the wrong side of the wires

As the Internet revolutionizes our economy, inner cities and rural America face an alarming new danger.

They could lose jobs and investment they desperately need because affordable high-speed Internet services are passing them by.

As small businesses realize they'll need that speed to survive, communities without it are being trapped across a digital divide.

By David Lieberman USA TODAY

Four years ago, Joseph Serna greeted the Internet with optimism. He hoped it would be a powerful tool to attract more customers to his seven-employee print shop in a north Denver industrial area that caters to small business.

Now, the president of Serna Enterprises - like millions of small-business people and thousands of communities - fears the new medium will crush him.

Serna's customers increasingly want to send art, photos and layouts to him via e-mail. They expect the minority businessman, a Hopi Indi-an, to return samples and proofs the same

way.

But his conventional phone modern takes an exhausting 20 minutes to send or receive a

exhausting 20 minutes to send or receive a simple eight-page brochure.

A new high-speed Internet connection could cut that to seconds. Phone companies are now offering such links at affordable rates in other, often more upscale, Denver areas.

But they don't serve his neighborhood, and they have no immediate plans to go there. His choice: Pay more than \$1,000 a month for his own, dedicated T-1 phone line — or watch larger rivals get his customers. Without a high-speed link, "you can't compete," Serna says. High-speed connections, also known as broadband, are becoming a must-have for small business. Yet a USA TODAY analysis finds thousands of communities and busi-

finds thousands of communities and busi-nesses have no direct access to affordable high-speed service. And it will be several years before they get it, based on where state-of-the-

Please see SPECIAL REPORT next page ▶

INSIDE: Three of the dozens of cities with digital divides, 2B What can be done to bridge the divide, 3B

Investors forecast prediction sites will be hot

Padding in child car seats studied

Experts: Proper installation also is critical issue

By Jayne O'Donnell USA TODAY

Federal safety regulators are examining whether infant safe-ty seats need better padding after researchers discovered they failed to protect several babies from suffering skull fractures in car crashes. A study by the Children's Na-tional Medical Center and the

National Highway Traffic Safe-ty Administration found that inry Administration found that in-fants were more likely than older children to suffer skull fractures in car crashes. The authors say parents' improper installation of infant seats also

may be to blame.

The researchers found that 13 infants received skull fractures out of 236 children with serious crash-related head injuries between 1993 and 1996. At least eight of the children

were in safety seats.

The findings are significant the indings are significant because skull fractures in ba-bies are often associated with brain injuries and learning dis-abilities later in life. One case abilities later in life. One case being studied involved a 4-month-old baby who suffered two fractures in the back of her head and a severe brain injury in a head-on collision. Safety rules require easily compressible, thin padding in all child seats. But some safety experts believe infants' coff stulls need. believe infants' soft skulls need more cushioning

Kathleen Weber, child pas-senger protection program di-rector at University of Michigan's medical school, calls the

gan's medical school, calls the federal rules a "joke" because the padding is designed to comfort, not protect, children. NHTSA chief Ricardo Martinez agrees that padding rules may need to be strengthened. Some child-seat makers, including Britax, Fisher-Price and Century, have added energy-absorbing foam under the required padding to better protect infants in crashes. But their seats, which cost between \$99 and \$150, are a small percentage of the 4.3 million seats that NPD Group estimates are sold

each year.

Barbara Matejka, who inspects child seats for Daum-lerChrysler customers at Park lerchryster customers at Park Jeep Eagle in Burnsville, Minn., says infant seats are fre-quently titled forward too far — forcing the baby's head down — when they are in-stalled. In a crash, the baby's head would be flung back sev-eral inches against the infant eral inches against the infant seat, increasing the risk of a skull fracture. NHTSA says infant seats

have proved to be 71% effective in reducing fatalities in car

► How to install seats, 68

USA SNAPSHOTS®

A look at statistics that snape your finances



Exchange to market stock

By Janet Kornblum USA TODAY

prognostications

The Web is opening up a market that takes sites such as eBay to a new level: Instead of buying goods and services, how about buying and selling pre-

1Exchange, launching today and founded by Bill Gross of Idealabs, is hoping the concept is the spark needed to set off an explosion in which buying and selling predictions becomes a

buge market.
Imagine that the guy living next door keeps winning at the races. You might be willing to cough up a few bucks to get in on his predictions. IExchange and other sites like it work pret ty much the same way, except Exchange deals in stocks, the

horses of the Net.
Here's how it works:
Let's say Mary wants to become what iExchange CEO Daout Esser loosely refers to as an "analyst." She goes to the sate, registers and fills out forms with her predictions of how stocks will do.

Exchange uses a formula to figure out how close she got. It does that for every prediction

made, so that over time, Mary has a record that ranks her. Eventually, using her record, Mary can put a price to her predictions and reports.

Enter Joe Investor. He goes to iExchange to buy some pre-dictions, based on the records of the "analysts." Analysts set their own prices, and trans-actions are handled by iExchange, which, like auction site eBay takes a cut.

Eisner thinks the first "re-ports" will be free, then will be sold for \$1 to \$2, and eventually \$5 to \$10, each.

Venture capital company Kleiner Perkins Caufield & Byers invested \$5 million in iExchange in June.

And lExchange is not alone.

Predict it (www.predict it.com) lets people get paid for stock predictions as well as forecasts of sports scores.

ExpertCentral.com launching today, matches Net users with a cross-section of according to past expertise they have shown. Expertise can be offered on just about any subject, from how to clean a fish tank to how to write a

a isn tank to now to write a business plan.
Industry analysts (those paid to do their jobs) are watching the trend closely. "If you write good research, you should be rewarded for it." says Jim Laird of The Yankee Group.



Inside on 4B

Companies brace problems stemming from the domino effect.